

LED SHINE



Wing-Pro Series

Perfectly meet the needs of various rental requirement



Support HDR



Front maintenance



Light Weight




90 Degree



High Gray Scale



Fast Installation



High Refresh Rate



Wide Viewing Angle






500×1000mm



500×500mm


LED SHINE's Wing-Pro series perfectly meets the needs of mixing large and small panels, flat, curved, and cubic panels, allowing you to easily cope with various challenges in the rental market. The pursuit of high-quality screen effects provides an unprecedented visual experience for your rental requirement.




SPECIFICATIONS

SPECIFICATIONS	Indoor					Outdoor				
Pixel Pitch	1.5mm (HOB)	1.9mm (HOB)	2.6mm	2.9mm	3.9mm	2.9mm	3.9mm	3.9mm BK	4.8mm	5.9mm
LED Type	SMD1212	SMD1212	SMD1515	SMD1515	SMD2121	SMD1415	SMD1921	SMD1921 BK	SMD1921	SMD1921
Pixel Density	409,600	262,144	147,456	112,896	65,536	112,896	65,536	65,536	43,264	28,224
Module Size	500*125mm									
Module Resolution	320*80	256*64	192*48	168*42	128*32	168*42	128*32	128*32	104*26	84*21
Cabinet Size	500*500*70mm and 500*1000*70mm; 500*500*102mm (Flexible Panel)									
Cabinet Resolution	320*320	256*256	192*192	168*168	128*128	168*168	128*128	128*128	104*104	84*84
Scan Mode	1/40	1/32 1/16	1/24 1/16	1/21	1/16	1/21	1/16	1/16 1/8	1/13	1/7
Brightness	800-1000nits		1000-1200nits			4000-4500nits	4500-5000nits	3800-4000nits	4500-5000nits	4500-5000nits
Refresh Rate	7680Hz									
Viewing Angle	170°/170°									
Cabinet Material	Die-casting Aluminum									
Cabinet Weight	7.2kg/12.2kg									
Curve Option	Curve panel for ±2.5°/±5°/±7.5°/ ±10°, flexible panel for -45°~+30°									
Input Voltage	AC100-240V									
Max Power c.	512W/sqm									
Average Power c.	200W/sqm									
Working Temperature	-20℃ ~ +45℃									
Life Span	100,000H									
IP Rate	IP30					IP65				
Certification	CE,RoHS,FCC									

Different types of panels, fully compatible.



Straight panel



Curve panel



Cube panel



Flexible panel