



LED SHINE



# LED Totem



Indoor **P1.2, P1.5, P1.8, P2.0, P2.5**

Display Size: 640×1920mm(W×H)



Foldable



Cascadable



Flight case package



- ◆ Screen size: 640×1920mm
- ◆ HD image quality, new visual upgrade.
- ◆ HD resolution, extremely clear and show all details.
- ◆ High contrast color performance, recreating every real detail.

- ◆ The foldable design allows you to complete the setup on-site in just seconds.



- ◆ **Flexible Application:** Can be used independently or seamlessly cascaded with high flatness, adapting to diverse resolution requirements.
- ◆ **Effortless Setup:** A single person can complete on-site assembly of a large LED screen in just a few minutes, ensuring ultra-fast deployment.
- ◆ **Reliable Performance:** Boasts powerful functionality, high operational stability, and an extremely low failure rate.

# Specification

| Module Number         | P1.2                | P1.5            | P1.8            | P2              | P2.5            |
|-----------------------|---------------------|-----------------|-----------------|-----------------|-----------------|
| Pixel Pitch           | 1.25mm              | 1.53mm          | 1.86mm          | 2mm             | 2.5mm           |
| LED Type              | COB                 | COB             | SMD1515         | SMD2020         | SMD2020         |
| Pixel Density         | 640,000dots/sqm     | 422,600dots/sqm | 289,050dots/sqm | 250,000dots/sqm | 160,000dots/sqm |
| Module Dimension(WxH) | 320x160mm           |                 |                 |                 |                 |
| Module Resolution     | 256x128 dots        | 208x104 dots    | 172x86 dots     | 160x80 dots     | 128x64 dots     |
| Screen Dimension(WxH) | 640x1920mm          |                 |                 |                 |                 |
| Screen Resolution     | 512x1536 dots       | 416x1248 dots   | 344x1032 dots   | 320x960 dots    | 256x768 dots    |
| Totem Dimension(WxH)  | 1996.8x659.6x59.2mm |                 |                 |                 |                 |
| Totem Weight          | 51kg/PC             |                 |                 |                 |                 |
| Maximum Cascaded      | 2~4                 | 4               | 5               | 7               | 7               |
| Refresh Rate          | 3840Hz              |                 |                 |                 |                 |
| Viewing Angle(H/V)    | 160°/140°           |                 |                 |                 |                 |
| Cabinet Material      | Die-casting         |                 |                 |                 |                 |
| Maintenance           | Front               |                 |                 |                 |                 |
| Brightness            | 600-800nits         |                 |                 |                 |                 |
| Avg Power Consumption | 366w                |                 |                 |                 |                 |
| Ingress Protection    | IP30                |                 |                 |                 |                 |
| Life Span             | 100,000H            |                 |                 |                 |                 |
| Working Temperature   | -20°~+60°           |                 |                 |                 |                 |